

# SEQUENCE LISTING

<110> Schweitzer, Markus  
Anderson, Richard R.  
Mueller, Jochen  
Fiechtner, Michael  
Bruecher, Christoph  
Kienle, Stefan  
Orwick, Jill  
Pignot, Marc  
Raddatz, Stefan  
Schneider, Eberhard  
Windhab, Norbert

<120> Sorting and Immobilization System for Nucleic Acids Using  
Synthetic Binding Systems

<130> 264/217 Nanogen Recognomics

<160> 184

<170> PatentIn version 3.1

<210> 1

<211> 8

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic binding system

<220>

<221> modified\_base

<222> (1)..(8)

<223> pyranosyl RNA

<400> 1

aatgccta

8

<210> 2

<211> 8

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic binding system

<220>

<221> modified\_base

<222> (1)..(8)

<223> pyranosyl RNA

<400> 2

taggcatt

8

<210> 3

<211> 8

<212> DNA

<213> Artificial sequence

<220>

PatentIn version 3.1





<222> (1)..(8)  
<223> pyranosyl RNA

<400> 10  
tacggatt

8

<210> 11  
<211> 8  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic binding system

<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 11  
aattcgca

8

<210> 12  
<211> 8  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic binding system

<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 12  
tgcgaatt

8

<210> 13  
<211> 8  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic binding system

<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 13  
aacgttca

8

<210> 14  
<211> 8  
<212> DNA

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

<213> Artificial sequence  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 14  
tgaacgtt

8

<210> 15  
<211> 8  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 15  
agtactca

8

<210> 16  
<211> 8  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 16  
tgagtact

8

<210> 17  
<211> 8  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA



```
<220>
<221> modified_base
<222> (1)..(8)
<223> pyranosyl RNA
```

```
<400> 21
actagcta
```

```
<210> 22
<211> 8
<212> DNA
<213> Artificial sequence
```

```
<210> 23
<211> 8
<212> DNA
<213> Artificial sequence
```

```
<210> 24
<211> 8
<212> DNA
<213> Artificial sequence
```

CC-BY-NC-ND 4.0 International license

<210> 25  
<211> 8  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 25  
aagcctta

8

<210> 26  
<211> 8  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 26  
taaggctt

8

<210> 27  
<211> 8  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 27  
atgaccta

8

<210> 28  
<211> 8  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(8)



[illegible]

8

8

8

8

```
<210> 32
<211> 8
<212> DNA
<213> Artificial sequence
```



8

8

8

8

```
<210> 39
<211> 8
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic binding system
```



```

<211>      8
<212>      DNA
<213>      Artificial sequence

<220>
<223>      Synthetic binding system

<220>
<221>      modified_base
<222>      (1)..(8)
<223>      pyranosyl RNA

```

<400> 43  
ccagtcta

```

<210> 44
<211> 8
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic binding system

<220>
<221> modified_base
<222> (1)..(8)
<223> pyranosyl RNA

```

```
<400> 44
tagactgg
```

```

<210>      45
<211>      8
<212>      DNA
<213>      Artificial sequence

<220>
<223>      Synthetic binding system

<220>
<221>      modified_base
<222>      (1)..(8)
<223>      pyranosyl RNA

```

```
<400> 45
aatgcgta
```

```

<210> 46
<211> 8
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic binding system

<220>
<221> modified_base
<222> (1)..(8)
<223> pyranosyl RNA

```

8

8

8

8

8

10

10

```
<210> 50
<211> 10
<212> DNA
<213> Artificial sequence
```



<210> 54  
 <211> 10  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Synthetic binding system  
  
 <220>  
 <221> modified\_base  
 <222> (1)..(10)  
 <223> pyranosyl RNA

<400> 54  
 aagtacgagg

10

<210> 55  
 <211> 10  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Synthetic binding system  
  
 <220>  
 <221> modified\_base  
 <222> (1)..(10)  
 <223> pyranosyl RNA

<400> 55  
 ttctgtatcc

10

<210> 56  
 <211> 10  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Synthetic binding system  
  
 <220>  
 <221> modified\_base  
 <222> (1)..(10)  
 <223> pyranosyl RNA

<400> 56  
 ggatacagaa

10

<210> 57  
 <211> 10  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Synthetic binding system  
  
 <220>



```
<221> modified_base
<222> (1)..(10)
<223> pyranosyl RNA
```

<400> 57  
ctttatgcct

```
<210> 58
<211> 10
<212> DNA
<213> Artificial sequence
```

```
<400> 58
aggcataaag
```

```
<210> 59
<211> 10
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic binding system
```

<400> 59  
cccacttggt

```
<210> 60
<211> 10
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic binding system
```

```
<400> 60
aacaagtggg
```

$\langle 210 \rangle$	61
$\langle 211 \rangle$	10

69101600

<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(10)  
<223> pyranosyl RNA

<400> 61  
tctgctcatc

10

<210> 62  
<211> 10  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(10)  
<223> pyranosyl RNA

<400> 62  
gatgagcaga

10

<210> 63  
<211> 10  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(10)  
<223> pyranosyl RNA

<400> 63  
ctcacctatt

10

<210> 64  
<211> 10  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(10)  
<223> pyranosyl RNA







1990 年 12 月 10 日  
 1991 年 1 月 10 日  
 1991 年 2 月 10 日  
 1991 年 3 月 10 日  
 1991 年 4 月 10 日  
 1991 年 5 月 10 日  
 1991 年 6 月 10 日  
 1991 年 7 月 10 日  
 1991 年 8 月 10 日  
 1991 年 9 月 10 日  
 1991 年 10 月 10 日  
 1991 年 11 月 10 日  
 1991 年 12 月 10 日

10

<220>  
<223> Synthetic binding system

```
<220>
<221> modified_base
<222> (1)..(10)
<223> pyranosyl RNA
```

10

```
<210> 77
<211> 31
<212> DNA
<213> Artificial sequence
```

<220>  
<223> Synthetic binding system

```
<220>
<221> modified_base
<222> (1)..(10)
<223> pyranosyl RNA
```

31

```
<210> 78
<211> 31
<212> DNA
<213> Artificial sequence
```

<220>  
<223> Synthetic binding system

```

<220>
<221> modified_base
<222> (1)..(10)
<223> pyranosyl RNA

```

31

<210>	79
<211>	31
<212>	DNA



<400> 82  
ccccagtgct ggtcctgcat tc 22

<210> 83  
<211> 40  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (31)..(40)  
<223> pyranosyl RNA

<400> 83  
atgctaaagg acgtcattgc acaatcttaa ctctacgtct 40

<210> 84  
<211> 33  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (24)..(33)  
<223> pyranosyl RNA

<400> 84  
ggagtttgta catgcggtgg agccctcgta ctt 33

<210> 85  
<211> 8  
<212> DNA  
<213> Artificial sequence  
  
<220>  
<223> Synthetic binding system  
  
<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> 2'-O-methyl RNA

<220>  
<221> modified\_base  
<222> (2)..(8)  
<223> pyranosyl RNA

<400> 85  
ctaggatt 8

<210> 86





<210> 89  
<211> 12  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (12)..(12)  
<223> Glyceryl moiety

<400> 89  
ccccagtgct gg

12

<210> 90  
<211> 8  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic binding system

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Hydrazide functional group

<220>  
<221> modified\_base  
<222> (8)..(8)  
<223> Cy3 dye

<220>  
<221> modified\_base  
<222> (1)..(8)  
<223> pyranosyl RNA

<400> 90  
taggcatt

8

<210> 91  
<211> 12  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<400> 91  
ccccagtgct gg

12

<210> 92  
<211> 10  
<212> DNA  
<213> Artificial sequence

004046.0404



# 5

10

```
<220>
<221>  modified_base
<222>  (1)..(1)
<223>  Tetra-hydrazide moiety
```

<400> 95  
gaatgcagga

10

```
<220>
<221> modified_base
<222> (1)..(1)
<223> Tetra-hydrazide moiety
```

<400> 96  
agacgtagag

10

```
<220>
<221> modified_base
<222> (1)..(1)
<223> Tetra-hydrazide moiety
```

```
<220>
<221> modified_base
<222> (1)..(10)
<223> pyranosyl RNA
```

```
<400> 97
aagtacgagg
```

```
<210> 98
<211> 10
<212> DNA
<213> Artificial sequence
```

```
<220>
<221> modified_base
<222> (1)..(1)
<223> Biotin moiety
```

<400> 98  
gaatgcagga

```
<210> 99
<211> 10
<212> DNA
<213> Artificial sequence
```

```
<220>
<221> modified_base
<222> (1)..(1)
<223> Biotin moiety
```

```
<220>
<221> modified_base
<222> (1)..(10)
<223> pyranosyl RNA
```

```
<400> 99
agacgtagag
```

```
<210> 100
<211> 10
<212> DNA
<213> Artificial sequence
```

<220>  
<223> Synthetic binding system

```
<220>
<221> modified_base
<222> (1)..(1)
<223> Biotin moiety
```

```
<220>
<221> modified_base
<222> (1)..(10)
<223> pyranosyl RNA
```

10

```
<210> 101
<211> 10
<212> DNA
<213> Artificial sequence
```

```
<220>
<221> modified_base
<222> (1)..(1)
<223> Biotin moiety
```

<400> 101  
aggcataaag

10

```
<210> 102
<211> 10
<212> DNA
<213> Artificial sequence
```

```
<220>
<221> modified_base
<222> (1)..(1)
<223> Biotin moiety
```

```

<220>
<221> modified_base
<222> (1)..(10)
<223> pyranosyl RNA

```

```
<400> 102
aacaagtggg
```

10











```
<220>
<221> modified_base
<222> (38)..(38)
<223> Cy3 dye
```

```
<220>
<221> modified_base
<222> (29)..(38)
<223> pyranosyl RNA
```

38

```
<220>
<223> Synthetic binding system
```

```

<220>      .
<221> modified_base
<222> (26)..(35)
<223> pyranosyl RNA

```

35

```
<220>
<223> Synthetic binding system
```

```
<220>
<221> modified_base
<222> (26)..(35)
<223> pyranosyl RNA
```

35

<210> 119

<211> 35  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic binding system

<220>  
<221> modified\_base  
<222> (35)..(35)  
<223> Cy3 dye

<220>  
<221> modified\_base  
<222> (26)..(35)  
<223> pyranosyl RNA

<400> 119  
gcatggatgg cagcattggt ctgaattcta tactc

35

<210> 120  
<211> 37  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic binding system

<220>  
<221> modified\_base  
<222> (37)..(37)  
<223> Cy3 dye

<220>  
<221> modified\_base  
<222> (28)..(37)  
<223> pyranosyl RNA

<400> 120  
gaggttcaag cgtaaataag tatattttgg tcggttg

37

<210> 121  
<211> 38  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic binding system

<220>  
<221> modified\_base  
<222> (38)..(38)  
<223> Cy3 dye

<220>  
<221> modified\_base  
<222> (29)..(38)  
<223> pyranosyl RNA



<210> 125  
<211> 25  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 125  
gtgcctgcaa ctactacaac cgggt

25

<210> 126  
<211> 28  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 126  
caaaaattaca gaagcttcaa attgttgt

28

<210> 127  
<211> 25  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 127  
gtaccttcaa gtagcaaggc tgaca

25

<210> 128  
<211> 25  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base

0040461607001

<222> (1)..(1)  
<223> Cy5 dye

<400> 128  
gtccctttta agcaacctac agggg

25

<210> 129  
<211> 25  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 129  
ttcagaacaa tgctgccatc catgc

25

<210> 130  
<211> 27  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 130  
aaatatactt atttacgctt gaacctc

27

<210> 131  
<211> 27  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 131  
ctcaatagtt ccctcccact gaaagaa

27

<210> 132  
<211> 32  
<212> DNA

00040450 0004004







```
<220>
<221> modified_base
<222> (26)..(35)
<223> pyranosyl RNA
```

```
<400> 139
gcatggatgg cagcattggt ctgaattcta tactc
```

```
<210> 140
<211> 37
<212> DNA
<213> Artificial sequence
```

```
<220>
<221> modified_base
<222> (28)..(37)
<223> pyranosyl RNA
```

```
<210> 141
<211> 38
<212> DNA
<213> Artificial sequence
```

```
<220>
<221> modified_base
<222> (29)..(38)
<223> pyranosyl RNA
```

<210>	142
<211>	42
<212>	DNA
<213>	Artificial sequence

```

<220>
<221> modified_base
<222> (33)..(42)
<223> pyranosyl RNA

```

$$\begin{array}{ccccccc} \begin{array}{c} \text{H} \\ | \\ \text{H}-\text{C}-\text{OH} \\ | \\ \text{H} \end{array} & \begin{array}{c} \text{H} \\ | \\ \text{H}-\text{C}-\text{OH} \\ | \\ \text{H} \end{array} & \begin{array}{c} \text{H} \\ | \\ \text{H}-\text{C}-\text{OH} \\ | \\ \text{H} \end{array} & \begin{array}{c} \text{H} \\ | \\ \text{H}-\text{C}-\text{OH} \\ | \\ \text{H} \end{array} & \begin{array}{c} \text{H} \\ | \\ \text{H}-\text{C}-\text{OH} \\ | \\ \text{H} \end{array} & \begin{array}{c} \text{H} \\ | \\ \text{H}-\text{C}-\text{OH} \\ | \\ \text{H} \end{array} & \begin{array}{c} \text{H} \\ | \\ \text{H}-\text{C}-\text{OH} \\ | \\ \text{H} \end{array} \\ \text{HO}-\text{C}-\text{H} & \text{HO}-\text{C}-\text{H} & \text{HO}-\text{C}-\text{H} & \text{HO}-\text{C}-\text{H} & \text{HO}-\text{C}-\text{H} & \text{HO}-\text{C}-\text{H} & \text{HO}-\text{C}-\text{H} \\ | & | & | & | & | & | & | \\ \text{H} & \text{H} & \text{H} & \text{H} & \text{H} & \text{H} & \text{H} \end{array}$$

25

25

30

30

30

25

25

25

28

28

28

25

25

25

<210>	148
<211>	25
<212>	DNA
<213>	Artificial sequence



<222> (25)..(25)  
<223> Cy3 dye

<400> 153  
tgcccaatgc tatatgtcag ttgag

25

<210> 154  
<211> 30  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (30)..(30)  
<223> Cy3 dye

<400> 154  
taccttcaat cttagtcttg aagtgagggt

30

<210> 155  
<211> 25  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (25)..(25)  
<223> Cy3 dye

<400> 155  
gtgcctgcaa ctactacaac cgggt

25

<210> 156  
<211> 28  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (28)..(28)  
<223> Cy3 dye

<400> 156  
caaaattaca gaagcttcaa attgttgt

28

<210> 157  
<211> 25  
<212> DNA

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted October 1, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.





<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 164  
taccttcaat cttagtcttg aagtgagggt

30

<210> 165  
<211> 25  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<400> 165  
gtgcctgcaa ctactacaac cgggt

25

<210> 166  
<211> 28  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 166  
caaaattaca gaagcttcaa attgttgt

28

<210> 167  
<211> 25  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Test nucleic acid sequence

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> Cy5 dye

<400> 167  
gtaccttcaa gtagcaaggc tgaca

25

<210> 168  
<211> 25  
<212> DNA  
<213> Artificial sequence

<220>

1662006910600





**SECRET**

```
<220>
<221> modified base
<222> (1)..(10)
<223> pyranosyl RNA
```

34

25

32

25

```
<210> 176
<211> 2009
<212> DNA
<213> Mus musculus
```



tcactgcaga tttctcgggc cttttggaga agtgctgcaa agcccaggac caggaagtct 1800  
 gtttcacaga agaggggtcca aagttgattt ccaaaactcg tgatgctttg ggcgtttaaa 1860  
 catctccaga aggaagagtg gacaaaaaaa tgtgttgacg ctttggtgtg agccttttgg 1920  
 cttaactgta actgctagta ctttaaccac atgggtgaaga tgtccatgtg agatttctat 1980  
 accttaggaa taaaaacttt tcaactatt 2009

<210> 177  
 <211> 20  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Test nucleic acid sequence

<400> 177  
 taatacgact cactataggg 20

<210> 178  
 <211> 18  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Test nucleic acid sequence

<400> 178  
 tgggggctaag cgggatcg 18

<210> 179  
 <211> 113  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Test nucleic acid sequence

<400> 179  
 gctgcagtaa tacgactcac tataggggct atagctcagc tgggagagcg cttgcctggg 60  
 aagcaagagg tcagcgggttc gatccccgctt agccccaccg cggcgtccat cca 113

<210> 180  
 <211> 67  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Test WT nucleic acid sequence

<400> 180  
 ggcgttttgc aaacatacct tcaatcttag tcttgaagtg aggggtgtctg ttgagaatct 60  
 ccacctg 67

<210> 181  
 <211> 67

bioRxiv preprint doi: <https://doi.org/10.1101/094076>; this version posted September 1, 2016. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

<212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Test mutant nucleic acid sequence  
  
 <400> 181  
 ggcgttttgc aaacatacct tcaatcttag tcttgaagtg agggatatctg ttgagaatct 60  
 ccacctg 67  
  
 <210> 182  
 <211> 40  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Synthetic binding system  
 <220>  
 <221> modified\_base  
 <222> (31)..(40)  
 <223> pyranosyl RNA  
  
 <400> 182  
 accctcactt caagactaag attgaaggta tcctgcattc 40  
  
 <210> 183  
 <211> 11  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Test WT rept. nucleic acid sequence  
 <220>  
 <221> modified\_base  
 <222> (1)..(1)  
 <223> Cy3 dye  
  
 <400> 183  
 tctcaacaga c 11  
  
 <210> 184  
 <211> 11  
 <212> DNA  
 <213> Artificial sequence  
  
 <220>  
 <223> Test mut. rept. nucleic acid sequence  
 <220>  
 <221> modified\_base  
 <222> (1)..(1)  
 <223> Cy5 dye  
  
 <400> 184  
 tctcaacaga t 11

181  
 182  
 183  
 184